

14:30 – 14:40 S3-4 (L0)

VOLUME-DEPENDENT CATHETERIZATION WITH A WEARABLE ULTRASONIC BLADDER SENSOR – A FEASIBILITY STUDY

G DE WIN¹, S EERENS², K DE BAETS¹ and Paul VAN LEUTEREN³

1 Antwerp University Hospital, Department of Urology, Edegem, BELGIUM

2 Antwerp University Hospital, Department of Pediatrics, Edegem, BELGIUM

3 Wilhelmina Children's Hospital UMC Utrecht, Pediatric Urology, Utrecht, NETHERLANDS

14:40 – 14:50 S3-5 (L0)

TRANSANAL IRRIGATION EFFECTIVENESS IN THE MANAGEMENT OF NEUROGENIC BOWEL DYSFUNCTION: IS A CAREFUL FOLLOW-UP USEFUL?

Giovanni MOSIELLO¹, Ludy LOPES DE CONCEICAO¹, Francesca MUSCIAGNA¹, Elena BERNARDI¹, Francesca DEL CONTE¹, Maria Luisa CAPITANUCCI¹, Antonio ZACCARA¹, Alberto LAIS¹, Barbara Daniela IACOBELLI² and Giuseppina DI SERIO¹

1 Bambino Gesù' Pediatric Hospital, Urology-Neuro-Urology, Rome, ITALY

2 Bambino Gesù' Pediatric Hospital, Surgery, Rome, ITALY

14:50 – 15:10 COFFEE BREAK